





# PINZE E CAVI ALIMENTO

Charging Clips and Booster Cables  
Pinces Batterie et Cables Demarrage  
Zangen und Starthilfekabel

DISEGNO DRAWING DESSIN ZEICHNUNG	AMP.	SEZIONE CAVO CABLE SECTION SECTION DU CÂBLE KABEL QUERSCHNITT mm <sup>2</sup>	DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG	REF.	PCS
	40A	6÷10	10 rosse + 10 nere 10 red + 10 black  Solo rosse Red only  Solo nere Black only	48.14220  48.14221 49.14221  48.14222 49.14222	20  20 300  20 300
	100A	10÷25	2 rosse + 2 nere 2 red + 2 black  Solo rosse Red only  Solo nere Black only	48.14252  48.14256 49.14256  48.14257 49.14257	4  4 200  4 200
	120A	10÷35	2 rosse + 2 nere 2 red + 2 black  Solo rosse Red only  Solo nere Black only	48.14251  48.14258 49.14258  48.14259 49.14259	4  4 200  4 200
	200A	10÷35	2 rosse + 2 nere 2 red + 2 black  Solo rosse Red only  Solo nere Black only	48.14255  48.14262 49.14262  48.14264 49.14264	4  4 200  4 200



DISEGNO DRAWING DESSIN ZEICHNUNG	AMP.	SEZIONE CAVO CABLE SECTION SECTION DU CABLE KABEL QUERSCHNITT mm <sup>2</sup>	DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG	REF.	PCS
<p><b>Semicorpo - Fe Zn</b>                      Half-body - Fe Zn                      Demi corps - Fe Zn                      Halbkörper - Fe Zn</p> <p><b>Ganasce e traccia - Rame</b>                      Jaws - Copper                      Griffes - Cuivre                      Klemmen - Kupfer</p> <p><b>Molla - Acciaio C70</b>                      Spring - Steel C70                      Ressort - Acier C70                      Feder - Stahl C70</p> <p><b>Impugnatura isolante - PVC</b>                      Insulating Handling - PVC                      Branche isolante - PVC                      Griffisoliert - PVC</p>	400A	10÷30	2 rosse + 2 nere 2 red + 2 black  Solo rosse Red only  Solo nere Black only	48.14250  48.14267 49.14267  48.14268 49.14268	4  4 100  4 100
<p><b>Semicorpo - PP</b>                      Half-body - PP                      Demi corps - PP                      Halbkörper - PP</p> <p><b>Terminal - Rame</b>                      Terminal - Copper                      Cosse - Cuivre                      Kabelschuhe - Kupfer</p> <p><b>Molla - Acciaio C70</b>                      Spring - Steel C70                      Ressort - Acier C70                      Feder - Stahl C70</p> <p><b>Impugnatura isolante - PVC</b>                      Insulating Handling - PVC                      Branche isolante - PVC                      Griffisoliert - PVC</p>	500A	35÷50	2 rosse + 2 nere 2 red + 2 black  Solo rosse Red only  Solo nere Black only	48.14311  49.14312  49.14313	4  25  25

DISEGNO DRAWING DESSIN ZEICHNUNG	AMP.	SEZIONE CAVO CABLE SECTION SECTION DU CÂBLE KABEL QUERSCHNITT mm <sup>2</sup>	DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG	REF.	PCS
	600A	50	2 rosse + 2 nere 2 red + 2 black  Solo rosse Red only  Solo nere Black only	48.14321  49.14322  49.14323	4  25  25
	300A	10÷25	2 rosse + 2 nere 2 red + 2 black  Solo rosse Red only  Solo nere Black only  Terminal (optional)	48.14254  49.14265  49.14266  48.14000	4  200  200  4

DISEGNO DRAWING DESSIN ZEICHNUNG	AMP.	SEZIONE CAVO CABLE SECTION SECTION DU CÂBLE KABEL QUERSCHNITT mm <sup>2</sup>	DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG	REF.	PCS
	650A	10÷35	2 rosse + 2 nere 2 red + 2 black	48.14330	4
	850A	25÷70	2 rosse + 2 nere 2 red + 2 black  Solo rosse Red only  Solo nere Black only	48.14331  49.14327  49.14326	4  17  17

<p>DISEGNO DRAWING DESSIN ZEICHNUNG</p>	<p>AMP.</p>	<p>SEZIONE CAVO CABLE SECTION SECTION DU CÂBLE KABEL QUERSCHNITT mm<sup>2</sup></p>	<p>DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG</p>	<p>REF.</p>	<p>PCS</p>
	<p>1000A</p>	<p>35÷70</p>	<p>2 rosse + 2 nere 2 red + 2 black</p>	<p>48.14332</p>	<p>4</p>

DISEGNO DRAWING DESSIN ZEICHNUNG	AMP.	DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG	L mm	SEZIONE CAVO CABLE SECTION SECTION DU CABLE KABEL QUERSCHNITT mm <sup>2</sup>	REF.	PCS
 <p>ISTRUZIONI IN: INSTRUCTIONS IN: INSTRUCTIONS EN: ANWEISUNG AUF: IT - EN - FR - DE - DK - FI - NO SE - ES - TR - HU - PT - CZ - SK SLO - HR - GR - NL - PL</p>	120A	HI-FLEX CABLE Cavi avviamento Sacchetto richiudibile con maniglie Istruzioni in 19 lingue Booster Cables Re-usable bag with handles 19 language instructions	2.500	10	48.14261	1
					48.14271	1
					48.14272	1
					48.14281	1
					48.14282	1
 <p>ISTRUZIONI IN: INSTRUCTIONS IN: INSTRUCTIONS EN: ANWEISUNG AUF: IT - EN - FR - DE - DK - FI - NO SE - ES - TR - HU - PT - CZ - SK SLO - HR - GR - NL - PL</p>	300A	HI-FLEX CABLE Cavi avviamento Sacchetto richiudibile con maniglie Istruzioni in 19 lingue Booster Cables Re-usable bag with handles 19 language instructions	3.000	16	48.14341	1
					48.14350	1
					48.14351	1

DISEGNO DRAWING DESSIN ZEICHNUNG	AMP.	DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG	L mm	SEZIONE CAVO CABLE SECTION SECTION DU CABLE KABEL QUERSCHNITT mm <sup>2</sup>	REF.	PCS
 <p><b>ISTRUZIONI IN:</b>                      INSTRUCTIONS IN:                      INSTRUCTIONS EN:                      ANWEISUNG AUF:                      IT - EN - FR - DE - DK - FI - NO                      SE - ES - TR - HU - PT - CZ - SK                      SLO - HR - GR - NL - PL</p>	400A	HI-FLEX CABLE Cavi avviamento Sacchetto richiudibile con maniglie Istruzioni in 19 lingue Booster Cables Re-usable bag with handles 19 language instructions	3.500 5.000	25 25	48.14290 48.14291	1 1
 <p><b>ISTRUZIONI IN:</b>                      INSTRUCTIONS IN:                      INSTRUCTIONS EN:                      ANWEISUNG AUF:                      IT - EN - FR - DE - DK - FI - NO                      SE - ES - TR - HU - PT - CZ - SK                      SLO - HR - GR - NL - PL</p>	500A	HI-FLEX CABLE Cavi avviamento Sacchetto richiudibile con maniglie Istruzioni in 19 lingue Booster Cables Re-usable bag with handles 19 language instructions	5.000 3.500 5.000	35 50 50	48.14295 48.14373 48.14375	1 1 1



DISEGNO DRAWING DESSIN ZEICHNUNG	AMP.	DESCRIZIONE DESCRIPTION DESCRIPTION BESCHREIBUNG	L mm	SEZIONE CAVO CABLE SECTION SECTION DU CABLE KABEL QUERSCHNITT mm <sup>2</sup>	REF.	PCS
	600A	HI-FLEX CABLE Cavi avviamento Sacchetto richiudibile con maniglie Istruzioni in 19 lingue Booster Cables Re-usable bag with handles 19 language instructions	5.000	50	48.14361	1
ISTRUZIONI IN: INSTRUCTIONS IN: INSTRUCTIONS EN: ANWEISUNG AUF: IT - EN - FR - DE - DK - FI - NO SE - ES - TR - HU - PT - CZ - SK SLO - HR - GR - NL - PL						